

OASIS

**POLARIS**

COUNTER-TOP POINT OF USE COOLER





# POLARIS

## Special Features

- Hot, Cold and Room Temp from a single dispense point
- Polymer cabinet won't rust or scratch counter-top
- POU counter-top can connect to a filtration or RO system
- Two options for dispensing: choose from 3 pre-select cup sizes or any size dispense
- Less than 43cm tall so that it will fit under kitchen cabinets
- Unparalleled dispense height of 27.5cm makes it easy to fill large sport bottles
- Commercial cooling capacity; compressor-driven refrigeration system
- Removable drip tray

## Codes

- POU1ACTHSKY

## Certifications

- Certified to NSF/ANSI 372 for low lead content
- Energy Star certified
- CE Approved



**Cabinet**

Polymer cabinet

**Cold Water Refrigeration Unit**

Convection cooled condenser. Internal, spring mounted, hermetically sealed compressor with automatic overload protector requires no lubrication. Refrigerant is controlled by a capillary tube.

**Cold Water Thermostat**

Temperature is controlled by pre-set thermostat for maximum performance

**Cold Water Reservoir**

Type 300 series stainless steel with external refrigerant coil. Moulded reservoir insulation is expanded bead polystyrene

**One-Piece Hot Tank**

420 watt heater for fast and efficient heating. Hot tank is a type 300 series stainless steel

**Cold Water Capacity**

28 x 180 ml cups of cold water per hour (5litres/hour)

**Hot Water Capacity**

30 x 180ml cups of piping hot water per hour. 1.2 litre storage tank.

**Hot Water Thermostat**

Fixed thermostat with safety limiter

**Hot water safety faucet**

Self-closing activation requires a two-step action that is easy for adults to use to protect small children

**Electrical**

230V, 50Hz. 1/20 hp water cooler compressor. Three wire service cord & polarized plug

**Lead Free**

Components in the water cooler are lead-free as defined by the Safe Drinking Water Act Amendments of 1986 and the Lead Contamination Control Act of 1988. Model listed by Underwriter's Laboratories to U.S. and Canadian Standard.

*\*Specifications are subject to change without notice*



# TECH SPEC ■

<b>Product</b>	POLARIS Countertop
<b>Model</b>	POU1ACTHSKY
<b>Type</b>	Tri-Temp
<b>Weight (kg)</b>	13.6
<b>Cold Tank Capacity (litres/hour)</b>	5
<b>Hot Tank Capacity (litres)</b>	1.2
<b>Dimensions (cm)</b>	43h x 33.5w x 35d
<b>Cold Water Performance (litres/hr)</b>	5
<b>Hot Water Performance (litres/hr)</b>	5.4

## **OASIS IRELAND**

Bunree Industrial Estate,  
Ballina, Co. Mayo, Ireland,  
F26 D5R3.  
+353 96 71222

## **OASIS POLAND**

ul.Gutenbergga 20,  
44-164, Gliwice, Poland  
+48 32 332 65 01

**[www.oasis.ie](http://www.oasis.ie)**

**[info@oasis.ie](mailto:info@oasis.ie)**